



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Mycological Bulletin

(Nos. 49 to 72)



Volume IV.

1906



W. A. Kellerman, Ph. D.

Ohio State University



COLUMBUS, OHIO
PRESS OF VANCE-POLAND CO.

1906

INDEX TO VOLUME IV.

SUBJECTS.

- Acknowledgements, 217, 221, 233.
 Aecidium or Clustercups, 206.
 Agaricus cretaceus, 234.
 Amanita flavoconia, 234.
 Box-tortoises and toadstools, 222.
 Bulgaria rufa, discharge of spores, 257.
 Cordyceps herculea, 241.
 Cortinarius cylindripes, 252.
 Cortinarius sterilis, 252.
 Dictiophora (variability), 202.
 Duggar on mushroom growing, 265.
 Early mushroom (Naucoria), 232.
 Editorial notes, 193, 197, 201, 205, 225, 233, 240, 248, 257, 281.
 Fly Agaric, another, 222, 227.
 Fungi in the arts, 275.
 Galera kellermani, 278.
 Guatemalan fungus, 213.
 Gyromitra esculenta, 230, 232.
 Hosts of Panaeolus epimyces, 194.
 Marasmius delectans, 278.
 Market mushrooms in Europe, 251.
 Morchella, September, mountains, 218.
 Morelle, September, mountains, 218.
 Mushroom growing (Duggar), 265.
 Mushroom literature, 234, 247, 251, 259, 277.
 Mushroom notes, 228.
 Mushroom Number, 265.
 Mushroom market in Europe, 251.
 Mushrooms or Toadstools?, 214.
 Mycena haematopa, 275.
 Naucoria pediades, 232.
 New species, 234, 247.
 Notes from mushroom literature, 234, 247, 251, 259, 277.
 Panaeolus, 244.
 Panaeolus epimyces (hosts), 194.
 Panaeolus retirugis, (growth), 259.
 Peziza badia (spore discharge), 222.
 Peziza coccinea, 226.
 Peziza, the genus, 226.
 Peziza repanda, 222, 237.
 Phyllopodia, a new genus, 223.
 Phyllopodia parasitica (on leaf), 223.
 Pleurotus ostreatus, spore discharge, 234.
 Pleurotus ulmarius, 249.
 Poisoning by mushrooms, 218.
 Polyporus obtusus, 277.
 Polyporus parasitic on leaf, 223.
 Quotations, 194, 198, 202, 206, 210, 214, 218, 222.
 Sending (packing), mushrooms, 272.
 Smut, 209.
 Spawn from pure culture, 265, 282.
 Toadstools (quotations), 210.
 Urnula craterium (variation), 228.
 Uses of mushrooms, 243, 255, 262.
 Verpa digitaliformis, 239.
 White rust, 217.

ILLUSTRATIONS.

- Aecidium of elder, 199.
 Aecidium impatientis, 296.
 Agaricus campestris, 266.
 Agaricus fabaceus, 272.
 Agaricus villaticus, 266.
 Albugo ipomoeae-panduratae, 220.
 Black peziza, 229.
 Boletus americanus, 205.
 Calvatia craniformis, 269.
 Clitocybe flaccida, 211.
 Clitocybe infundibuliformis, 212.
 Cordyceps herculea, 242.
 Cortinarius cinnamomeus, 197.
 Cyclomyces greenii, 221.
 Daedalea elegans, 213.
 Earth star, 201.
 Galera kellermani, 279.
 Geaster triplex, 201.
 Gyromitra esculenta, 227, 230, 235.
 Hackberry knot, 246, 248.
 Helotium citrinum, 209.
 Hygrophorus eburneus, 200.
 Hygrophorus laurae, 216.
 Hypholoma sublateritium, 223.
 Hypomyces lactufluorum, 195.

INDEX TO VOLUME IV.

(CONTINUED.)

- Inocybe subochracea burtii*, 280.
Lactarius volemus, 219.
Leaf mildew fungus, 245.
Lycoperdon echinatum, 196.
Lycoperdon tessellatum, 196.
Lycoperdon umbrinum, 196.
Lycoperdon wrightii, 261.
Marasmius campanulatus, 204.
Marasmius delectans, 258.
Marasmius ramealis, 251.
Morchella esculenta, 272.
Mushrooms from pure culture
 spawn, 271, 282, 283, 284.
Mutinus caninus, 217.
Mycena galericulata, 253.
Mycena haematopa, 274.
Naucoria pediades, 232.
Panaeolus campanulatus (should be
 changed to *Stropharia semiglobata*), 244.
Panaeolus epimyces, 193.
Peziza coccinea, 226, 228.
Peziza repanda, 236, 237.
Pluteus cervinus, 254.
Pleurotus applicatus, 224.
Pleurotus ostreatus, 270.
Pleurotus ulmarius, 250.
Polyporus brumalis, 203.
Polyporus igniarius, 257.
Polyporus subsericeus, 276.
Polyporus umbellatus, 262.
Puffball, *Calvatia craniformis*, 269.
Pure cultures, 268, 282, 283, 284.
Scleroderma vulgare, 256.
Smut of *Cimicifuga*, 208.
Sphaerotheca phytophila, 245.
Strobilomyces strobilaceus, 240.
Stropharia semiglobata (to this
 change the name given for
 Fig. 191), 244.
Trametes elegans, 213, 215.
Tricholoma sulphureum, 261.
Urocystis carcinodes, 208.
Urnula craterium, 229, 231.
Verpa digitaliformis, 238, 239.
White rust, 220.
Witch's broom, 246, 248.
Yellow cluster cups of elder, 199.
Yellow cluster cups of *Impatiens*,
 207.